

Brand	Model	Voltage (DC)	Amp (@12V)	Power	Tach Sensor	PWM	Max Head (feet)	Flow Rate (Gallon / Hour)	Thread (barb size)
Alphacool	DC-LT	7-13,5	0.408	3-Pin	No	No	7.22	31.7	NA
	VPP-Single	8-24.0	2	4-Pin	Yes	No	12.13	396.3	NA
	VPP HF Top	8-24.0	2	4-Pin	Yes	No	12.13	396.3	G1/4
Danger Den	DD-CPX1	8-13.2	1	3-Pin	Yes	No	8.5	158.5	G/14
	DD-CPX Pro	8-13.2	1.8	3-Pin	Yes	No	13.1	211.3	G1/4
	DDC 12V Rev 3.25	8-13.2		3-Pin	Yes	No	9.4	138	3/8" ID
Eheim	HPPS	12	0.25			No	6.7	132.1	G1/8
	HPPS i	12	0.5			No	10.16		G1/8
	PCPS-Pump	12	0.33			No	3.6	55.48	G1/4
Koolance	PMP-300	6-12.0	0.8	3-Pin	Yes	No	8.53	111	G1/4
	PMP-400	8 - 13.2	1.51	3-Pin	Yes	No	23	138	3/8" ID
	PMP-450	21-24.0	0.3 - 1.5	4-Pin	Yes	No	14.6	270	1/2" ID
	PMP-450S	8-24.0	0.13 - 2.1	4-Pin	Yes	No	19	276	1/2" ID
Phobya	DC12-220	12	0.62	3-Pin	Yes	No	7.22	105.68	G/14
	DC12-260	12	1	3-Pin	yes	No	8.53	158.52	G1/4
	DC12-400	12	1.8	3-Pin	yes	No	13.12	211.36	G1/4
Swiftech	MCP350	8-13.2	0.69 - 1.0	3-Pin	Yes	No	10.8	116	3/8" ID
	MCP355	8-13.2	1.16 - 1.58	3-Pin	Yes	No	15	120	3/8" ID
	MCP35X	9 - 13.4	1.5	4-Pin	-	Yes	14.7	285	G1/4
	MCP35X2	9-13.4	1.5 Each	2 x 4-Pin	-	Yes	27.9	250.2	G1/4
	MCP655-B	8-24.0	2	4-Pin	No	No	10	317	1/2" ID
	MCP655	8-24.0	2	4-Pin	No	No	13	317	1/2" ID
	Apogee Drive II	9 - 13.4	1.5	4-Pin	-	Yes	14.7	285	G1/4
XSPC	D5 Vario	8-24.0	2	4-Pin	No	No	12.1	317	G1/4
	X20 200	12	unknown		No	No	3.94	52.84	G1/4
	X20 450	12	0.79	4-Pin	No	No	5.9	118.89	G1/4
	X20 750	12	unknown	4-Pin	No	No	5.9	198.15	G1/4

*All specifications taken from manufacturer websites and could change without warning.
FrozenCPU.com is not liable for these changes. Last updated 8/3/2012*